

# Lovibond® Water Testing Tintometer® Group



## Water Safety Kit Chemical

Mobile Laboratory for chemical parameters of potable water testing



- Analysis of most important chemical parameters
- Complete test equipment in conjunction with Water Safety Kits Microbiology
- No further test equipment required for chemical analysis

Ürün No: 56K681253

You need safe, fast and reliable test results in difficult situations like disasters or potable water monitoring in rural environments without laboratories? The Lovibond® Water Safety Kit Chemical offers the most important methods and equipment in one case, designed to accompany you in each situation.

It comprises our MD 600 photometer, TB 211 IR turbidity meters and SD 50 AND SD 70 pocket electrochemistry meters. This kit can be used in conjunction with the Water Safety Kits Microbiology to provide a complete suite of tests for potability of water.

The kit comes with reagents for Chlorine, Ammonia, Nitrite, Nitrate, pH, Conductivity, Turbidity but can be expanded using our reagent packs to include any of the tests for the MD 600.

### Sanayi

Belediyeler | Deniz Sanayi | Diğer Sanayiler | Güç ve Enerji | Halka-Açık Havuz | Havuz Hizmetleri | İlaç Sanayi | Kimya Sanayi | Sivil-Toplum Kuruluşları | Yağ ve Gaz | Yerel Havuz | Yiyecek ve İçecek-Sanayi

### Uygulama

Atık Su Arıtma | Dezenfeksiyon Kontrol | Ham Su Arıtma | Havuz Suyu Arıtımı | Havuz Suyu Kontrol | İçme Suyu Arıtma | Kazan Suları | Soğutma Suları

### Water Safety Kit Chemical

Take everything you need for chemical analysis of potable water quality in one hand. This Water Safety Kit is the smallest in the range, portable in a rugged, waterproof case with 200 reagents for each parameter, allowing numerous measurements for its small footprint. It is easy to use even by nonprofessional operators due to simple pictorial instructions.

#### User

Non Profit Organizations (NGO's) | Medical research and development | Institutes, Universities, Schools | World Health Organization (WHO)

## Ölçüm Aralığı

Test Name	Ölçüm Aralığı	Kimyasal Metod
Amonyum T	0.02 - 1 mg/l N	Indofenol Mavisi
Conductivity	0 - 20 mS/cm	
Klor L	0.02 - 4.0 mg/l Cl <sub>2</sub> <sup>o</sup>	DPD
Nitrat T	0.08 - 1 mg/l N	Çinko İndirgemesi / NED
pH	0 - 14	
Turbidity	0.01 - 1100 NTU	

## Teknik Veri

Boyutlar	411 x 168 x 322 mm
Ağırlık Ambalajı ile	4.5 g

## Aksesuarlar

Başlık	Ürün No
Bulanıklık standartları seti T-CAL (<0,1, 20, 200, 800 NTU)	194150
Plastik kap, 100 ml derecelendirmeli, kapaklı	385130
Plastik kap, 30 ml derecelendirmeli, kapaklı	385132
ValidCheck Klor 1,5 mg/l	48105510
Karıştırma çubuğu ve toz kaşığı	56A006601
Su Güvenlik Kitleri için sırt çantası	56A01400
KS3-pH 10 tampon çözelti 65 ml	56L000365
KS6-pH 4 tampon çözelti 65 ml	56L000665
KS9-pH 7 tampon çözelti 65 ml	56L000965
KS16-1413US standart iletkenlik çözeltisi	56L001665
pH yedek elektrotu, pH 0...14, plastik/jel tipi, BNC fiş	721330

## Teslimat Kapsam Metni

- MD 600 Photometer
- TB 211 IR Turbidimeter
- SD 70 Conductivity Meter
- SD 50 pH Meter
- KS16 (65 ml)
- KS9 (65 ml)
- KS6 (65 ml)
- KS3 (65 ml)
- 250 DPD No.1 Photometer tablet reagents
- 250 DPD No.3 Photometer tablet reagents
- Nitrate Test Powder R282, 15 g
- 100 Nitrate Test tablet reagents
- Nitrate Test Tube Cali., 20 ml
- 250 Nitrite LR tablet reagents
- 250 Ammonia No.1 tablet reagents
- 250 Ammonia No.2 tablet reagents
- Shaker Tube Plastic, 30 ml
- DB513 Shaker Tube with lid, 100 ml
- Stirring Rod & Powder Scoop
- 3 Round Cuvette 24 mm with lid and seal
- 2 Round Cuvette 24 mm x 54 mm
- 2 Lid 24 mm, black
- T-CAL Turbidity Standard < 0.1 NTU
- T-CAL Turbidity Standard 20 NTU
- T-CAL Turbidity Standard 200 NTU
- T-CAL Turbidity Standard 800 NTU
- Instruction manual for Water Safety Kit Chemical
- Case

---

**Tintometer GmbH**  
Lovibond® Water Testing  
Schleefstraße 8-12  
44287 Dortmund  
Tel.: +49 (0)231/94510-0  
Fax: +49 (0)231/94510-30  
sales@lovibond.com  
www.lovibond.com  
Germany

**The Tintometer Limited**  
Lovibond House  
Sun Rise Way  
Amesbury, SP4 7GR  
Tel.: +44 (0)1980 664800  
Fax: +44 (0)1980 625412  
sales@lovibond.uk  
www.lovibond.com  
UK

**Tintometer China**  
Room 1001, China Life Tower  
16 Chaoyangmenwai Avenue,  
Beijing, 100020  
Tel.: +86 10 85251111 App. 330  
Fax: +86 10 85251001  
chinaoffice@tintometer.com  
www.lovibond.com  
China

**Tintometer South East Asia**  
Unit B-3-12, BBT One Boulevard,  
Lebuh Nilam 2, Bandar Bukit Tinggi,  
Klang, 41200, Selangor D.E  
Tel.: +60 (0)3 3325 2285/6  
Fax: +60 (0)3 3325 2287  
lovibond.asia@tintometer.com  
www.lovibond.com  
Malaysia

**Tintometer Brazil**  
Caixa Postal: 271  
CEP: 13201-970  
Jundiaí – SP  
Tel.: +55 (11) 3230-6410  
sales@tintometer.com.br  
www.lovibond.com.br  
Brazil

**Tintometer Inc.**  
6456 Parkland Drive  
Sarasota, FL 34243  
Tel: 941.756.6410  
Fax: 941.727.9654  
sales@lovibond.us  
www.lovibond.com  
USA

**Tintometer India Pvt. Ltd.**  
Door No: 7-2-C-14, 2<sup>nd</sup>, 3<sup>rd</sup> & 4<sup>th</sup> Floor  
Sanathnagar Industrial Estate,  
Hyderabad, 500018  
Telangana  
Tel: +91 (0) 40 23883300  
Toll Free: 1 800 599 3891/ 3892  
indiaoffice@tintometer.com  
www.lovibondwater.in  
India

**Tintometer Spain**  
Postbox: 24047  
08080 Barcelona  
Tel.: +34 661 606 770  
sales@tintometer.es  
www.lovibond.com  
Spain

Technical changes without notice  
Printed in Germany  
Lovibond® and Tintometer® are Trademarks of the Tintometer Group of Companies