

Lovibond® Water Testing Tintometer® Group



Water Safety Kit Basic

Complete test kit for emergency response



- Emergency response kit: Manage each testing challenge
- Portable basic test equipment: Microbiological & chemical analysis in one kit
- Incubator with heating and cooling as standard
- Safe & simple testing according to WHO standards

Ürün No: 56K681250

Don't wait for solutions in disasters or difficult environments - simply react. With the Lovibond® Water Safety Kit Basic you take everything with you to manage each testing challenge and provide safe potable water. The kit combines microbiological and simple chemical methods of analysis.

Perform microbiological membrane filtration and apply chemical test equipment directly on-site - rapidly & with reliable results.

Its compact design and the optional backpack ensures your mobility in each environment and situation. The Heating and cooling function of the incubator allows you test different sorts of bacteria. Be sure that you don't need any further test kit or test equipment to control the most important parameters you need for safe potable water quality.

Sanayi

Belediyeler | Diğer Sanayiler | Halka Açık Havuz | Havuz Hizmetleri | Sivil Toplum Kuruluşları | Yerel Havuz

Uygulama

Afet Yönetimi | Dezenfeksiyon Kontrol | Havuz Suyu Kontrol | İçme-Suyu Arıtma | Soğutma Suları

Water Safety Kit Basic

Whether disaster or monitoring in difficult environments: You need mobile testing equipment for portable water in each situation. the Water Safety Kit Basic accompanies you with the complete test methods for the most important parameters of both microbiological and physiochemical analysis.

Profit from the advantages of rugged, waterproof cases with compact design and easy to use content.

User

Non Profit Organizations (NGO's) | Medical research and development | Institutes, Universities, Schools | World Health Organization (WHO)

Ölçüm Aralığı

Test Name	Ölçüm Aralığı
Chlorine	0.1 - 3.0 mg/l Cl ₂
Conductivity	0 - 20 mS/cm
Dipslides	
Dipslides	
pH	6.8 - 8.2 pH
Turbidity	30 - 300 NTU

Teknik Veri

Boyutlar	487 x 229 x 386 mm
Ağırlık Ambalajı ile	16 kg

Teslimat Kapsam Metni

- DI 20 Incubator
- Incubator battery
- 50 Petri dish for DI 20 incubator
- SD 70 Conductivity Meter
- Marker pen
- 2.5 " Bailer with rope
- Filter flask, 500 ml
- Tweezer
- Pump (35 ml)
- Universal container and spoon, 30 ml
- DB 513 Shaker tube with lid, 100 ml
- 150 EZ Pack filters
- Pipette disposable 1.5 ml (EDT222)
- Turbidity Tube
- KS16 1413 µS Conductivity standard solution (65 ml)
- 200 Media pads and dispenser
- Filtration device
- Lead set IEC C13 (3 pin)
- Membrane Lauryl Sulphate Broth (40 g)
- Chlorine-pH Tester
- 250 DPD No.1 Photometer tablet reagents
- 250 DPD No.3 Photometer tablet reagents
- 250 Phenol Red Photometer tablet reagents
- Instruction manual for Water Safety Kit Basic
- Instruction manual for DI 20 Incubator
- Case

Aksesuarlar

Başlık	Ürün No
Güç kablosu seti	136300
Incubator Battery, Lead/Acid	192345
Şişeler	363590
Universal container with spoon and lid, 30 ml	366239
Plastik kap, 100 ml derecelendirmeli, kapaklı	385130
Petri kapları, 10 adet.	400855
Su Güvenlik Kitleri için sırt çantası	56A01400
Media Pads and Dispenser (Pack of 200)	56A016330
Ölçü kabı	56A018501
Diyaframlı filtreleme	56A023800
Cımbız	56A604201
Deney tüpü	56A607101
Diyaframlı filtreleme	56B000710
D004 TTC/MAC daldırma kızakları (Macconkey)	56B010410
D005 TTC/Kromojenik daldırma kızakları	56B010510
KS16-1413US standart iletkenlik çözeltisi	56L001665
Membrane Lauryl Sulphate Broth, 38.1 gr.	56L069740
Pump (35 ml stroke)	56X610301
Pipette, disposable, 1.5 ml	BI-K10060
Marker Pen	BI-K14087

Tintometer GmbH
Lovibond® Water Testing
Schleefstraße 8-12
44287 Dortmund
Tel.: +49 (0)231/94510-0
Fax: +49 (0)231/94510-30
sales@lovibond.com
www.lovibond.com
Germany

The Tintometer Limited
Lovibond House
Sun Rise Way
Amesbury, SP4 7GR
Tel.: +44 (0)1980 664800
Fax: +44 (0)1980 625412
sales@lovibond.uk
www.lovibond.com
UK

Tintometer China
Room 1001, China Life Tower
16 Chaoyangmenwai Avenue,
Beijing, 100020
Tel.: +86 10 85251111 App. 330
Fax: +86 10 85251001
chinaoffice@tintometer.com
www.lovibond.com
China

Tintometer South East Asia
Unit B-3-12, BBT One Boulevard,
Lebuh Nilam 2, Bandar Bukit Tinggi,
Klang, 41200, Selangor D.E
Tel.: +60 (0)3 3325 2285/6
Fax: +60 (0)3 3325 2287
lovibond.asia@tintometer.com
www.lovibond.com
Malaysia

Tintometer Brazil
Caixa Postal: 271
CEP: 13201-970
Jundiaí – SP
Tel.: +55 (11) 3230-6410
sales@tintometer.com.br
www.lovibond.com.br
Brazil

Tintometer Inc.
6456 Parkland Drive
Sarasota, FL 34243
Tel: 941.756.6410
Fax: 941.727.9654
sales@lovibond.us
www.lovibond.com
USA

Tintometer India Pvt. Ltd.
Door No: 7-2-C-14, 2nd, 3rd & 4th Floor
Sanathnagar Industrial Estate,
Hyderabad, 500018
Telangana
Tel: +91 (0) 40 23883300
Toll Free: 1 800 599 3891/ 3892
indiaoffice@tintometer.com
www.lovibondwater.in
India

Tintometer Spain
Postbox: 24047
08080 Barcelona
Tel.: +34 661 606 770
sales@tintometer.es
www.lovibond.com
Spain

Technical changes without notice
Printed in Germany
Lovibond® and Tintometer® are Trademarks of the Tintometer Group of Companies